

TARRAWONGA COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12365

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55113&SYSUID=1&LICID=12365>

Licensee: Tarrawonga Coal Pty Ltd

Licensee Address: Tarrawonga Coal Mine, 469 Goonbri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: January 2026

Obtained Date: 2/02/2026

Publication Date: 4/02/2026

Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value	Comments
5	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
6	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	

Table 2 – Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed -ance (Yes/ No)	Comment/s
1	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
2	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
3	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
24	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed-ance (Yes/No)	Comment/s
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
26	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
27	TSS	mg/L	Upon discharge	-	-	-	-	-	-		
	Conductivity	µS/cm		-	-	-	-	-	-		
	Oil & Grease	mg/L		-	-	-	-	-	-		
	pH	pH		-	-	-	-	-	-		

Table 3 – Monitoring (Quarterly & 6 Monthly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
10	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
12	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
13	Conductivity	µS/cm	Quarterly – (Feb, May, Aug, Nov)	-	-	-	-	-	-	-
	Oil & Grease	mg/L					-	-	-	-
	pH	pH					-	-	-	-
	TSS	mg/L					-	-	-	-

Table 4 – Quarterly Attended Noise Monitoring

(Noise Limits Apply -35dB Laeq(15min) -Day, Evening and Night;45dB LA1(1min) -Night)

No attended noise monitoring conducted in January

Table 5 – Monthly Monitoring (Blasts – Limits Apply)


Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach	Date of Max. Value Obtained
Coomalgah (TB2)	Blast Noise	dB (Lin Peak)	Every Blast	5	99.60	110.80	120	Nil	10/01/2026
	Blast Vibration	mm/s	Every Blast	5	0.16	0.42	10	Nil	27/01/2026

Table 6- Monthly Monitoring (Dust PM10 – No Limits apply)

Location	No. of samples required by licence	Lowest sample value	Mean of sample	Highest sample value
“Flixton” property* TEOM (µg/m ³)	Continuous	0.15	29.13	868.7

**Mine owned property – no limits apply*

Figure 1 – EPL 12365 Monitoring Locations



TARRAWONGA COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12365

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55113&SYSUID=1&LICID=12365>

Licensee: Tarrawonga Coal Pty Ltd

Licensee Address: Tarrawonga Coal Mine, 469 Goonbri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: February 2026

Obtained Date: 3/03/2026

Publication Date: 16/03/2026

Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value	Comments
5	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
6	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	

TARRAWONGA COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12365

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55113&SYSUID=1&LICID=12365>

Licensee: Tarrawonga Coal Pty Ltd

Licensee Address: Tarrawonga Coal Mine, 469 Goonbri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: February 2026

Obtained Date: 3/03/2026

Publication Date: 16/03/2026

Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value	Comments
5	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
6	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	

Table 2 – Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed -ance (Yes/ No)	Comment/s
1	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
2	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
3	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
24	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed-ance (Yes/No)	Comment/s
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
26	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
27	TSS	mg/L	Upon discharge	-	-	-	-	-	-		
	Conductivity	µS/cm		-	-	-	-	-	-		
	Oil & Grease	mg/L		-	-	-	-	-	-		
	pH	pH		-	-	-	-	-	-		

Table 3 – Monitoring (Quarterly & 6 Monthly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
10	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
12	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
13	Conductivity	µS/cm	Quarterly – (Feb, May, Aug, Nov)	1	17/02/2026	17/02/2026	-	-	-	2710
	Oil & Grease	mg/L					-	-	-	<5
	pH	pH					-	-	-	8.34
	TSS	mg/L					-	-	-	<5

Table 4 – Quarterly Attended Noise Monitoring

(Noise Limits Apply -35dB Laeq(15min) -Day, Evening and Night;45dB LA1(1min) -Night)

No attended noise monitoring conducted in February

Table 5 – Monthly Monitoring (Blasts – Limits Apply)

Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach	Date of Max. Value Obtained
Coomalgah (TB2)	Blast Noise	dB (Lin Peak)	Every Blast	3	98.70	100.5	120	Nil	26/02/2026
	Blast Vibration	mm/s	Every Blast	3	0.5	0.77	10	Nil	26/02/2026

Table 6- Monthly Monitoring (Dust PM10 – No Limits apply)

Location	No. of samples required by license	Lowest sample value	Mean of sample	Highest sample value
“Flixton” property* TEOM (µg/m ³)	Continuous	7.66	28.00	43.4

**Mine owned property – no limits apply*

Figure 1 – EPL 12365 Monitoring Locations




Table 2 – Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed -ance (Yes/ No)	Comment/s
1	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
2	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
3	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
24	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed-ance (Yes/No)	Comment/s
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
26	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
27	TSS	mg/L	Upon discharge	-	-	-	-	-	-		
	Conductivity	µS/cm		-	-	-	-	-	-		
	Oil & Grease	mg/L		-	-	-	-	-	-		
	pH	pH		-	-	-	-	-	-		

Table 3 – Monitoring (Quarterly & 6 Monthly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
10	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
12	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
13	Conductivity	µS/cm	Quarterly – (Feb, May, Aug, Nov)	-	-	-	-	-	-	-
	Oil & Grease	mg/L					-	-	-	-
	pH	pH					-	-	-	-
	TSS	mg/L					-	-	-	-

Table 4 – Quarterly Attended Noise Monitoring

(Noise Limits Apply -35dB Laeq(15min) -Day, Evening and Night;45dB LA1(1min) -Night)

No attended noise monitoring conducted in February

Table 5 – Monthly Monitoring (Blasts – Limits Apply)


Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach	Date of Max. Value Obtained
Coomalgah (TB2)	Blast Noise	dB (Lin Peak)	Every Blast	3	98.70	100.5	120	Nil	26/02/2026
	Blast Vibration	mm/s	Every Blast	3	0.5	0.77	10	Nil	26/02/2026

Table 6- Monthly Monitoring (Dust PM10 – No Limits apply)

Location	No. of samples required by license	Lowest sample value	Mean of sample	Highest sample value
“Flixton” property* TEOM (µg/m ³)	Continuous	0.06	24.29	445.15

**Mine owned property – no limits apply*

Figure 1 – EPL 12365 Monitoring Locations



TARRAWONGA COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12365

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55113&SYSUID=1&LICID=12365>

Licensee: Tarrawonga Coal Pty Ltd

Licensee Address: Tarrawonga Coal Mine, 469 Goonbri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: March 2026

Obtained Date: 13/04/2026

Publication Date: 15/04/2026

Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value	Comments
5	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
6	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	

Table 2 – Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed -ance (Yes/ No)	Comment/s
1	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
2	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
3	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
24	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed-ance (Yes/No)	Comment/s
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
26	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
27	TSS	mg/L	Upon discharge	-	-	-	-	-	-		
	Conductivity	µS/cm		-	-	-	-	-	-		
	Oil & Grease	mg/L		-	-	-	-	-	-		
	pH	pH		-	-	-	-	-	-		

Table 3 – Monitoring (Quarterly & 6 Monthly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Conductivity	µS/cm	6 monthly – (Mar, Sep)	1	05/03/2026	05/03/2026	-	-	-	3550
	Lead	mg/L		1	05/03/2026	05/03/2026	-	-	-	<0.001
	pH	pH		1	05/03/2026	05/03/2026	-	-	-	7.69
	Standing Water Level	metres		1	05/03/2026	05/03/2026	-	-	-	6.40
10	Conductivity	µS/cm	6 monthly – (Mar, Sep)	1	05/03/2026	05/03/2026	-	-	-	561
	Lead	mg/L		1	05/03/2026	05/03/2026	-	-	-	<0.010
	pH	pH		1	05/03/2026	05/03/2026	-	-	-	7.11
	Standing Water Level	metres		1	05/03/2026	05/03/2026	-	-	-	4.65
12	Conductivity	µS/cm	6 monthly – (Mar, Sep)	1	05/03/2026	05/03/2026	-	-	-	3570
	Lead	mg/L		1	05/03/2026	05/03/2026	-	-	-	0.01
	pH	pH		1	05/03/2026	05/03/2026	-	-	-	7.90
	Standing Water Level	metres		1	05/03/2026	05/03/2026	-	-	-	8.48
13	Conductivity	µS/cm	Quarterly – (Feb, May, Aug, Nov)	-	-	-	-	-	-	-
	Oil & Grease	mg/L					-	-	-	-
	pH	pH					-	-	-	-
	TSS	mg/L					-	-	-	-

Table 4 – Quarterly Attended Noise Monitoring

(Noise Limits Apply -35dB Laeq(15min) -Day, Evening and Night;45dB LA1(1min) -Night)

Table 1 TCM Operational Noise Monitoring Results – 9 March 2026 (Evening)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	7:56pm	43	5.3 / 145 / D	Cows (42), insects (36), wind (26), TCM (<20)
Barbers Lagoon – TN3	9:26pm	36	3.1 / 137 / D	Insects (35), traffic (26), TCM (<20)
Bungalow – TN4	8:47pm	45	4.9 / 129 / D	Insects (44), wind (38), TCM (<20)

Table 2 TCM Operational Noise Monitoring Results – 9-10 March 2026 (Night)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:09pm	35	2.3 / 157 / E	Insects (35), TCM (<20)
Barbers Lagoon – TN3	12:36am	34	1.5 / 134 / E	Insects (34), TCM (<20)
Bungalow – TN4	11:28pm	39	2.6 / 140 / D	Insects (38), frogs (29), TCM (<20)

Table 3 TCM Operational Noise Monitoring Results – 10 March 2026 (Day)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:01am	39	4.5 / 117 / C	Birds (39), cows (24), TCM (<20)
Barbers Lagoon – TN3	1:28pm	52	3.6 / 156 / B	Traffic (51), birds (45), TCM (<20)
Bungalow – TN4	11:46am	36	3.5 / 133 / B	Birds (36), TCM (<20)

Table 4 TCM Operational Noise Monitoring Results – 10 March 2026 (Evening)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	7:47pm	38	2.0 / 163 / D	Aeroplanes (37), insects (31), cows (26), TCM (<20)
Barbers Lagoon – TN3	9:19pm	35	4.8 / 112 / E	Insects (34), TCM (28)
Bungalow – TN4	8:37pm	42	3.7 / 128 / D	Wind (41), insects (33), TCM (<20)

Table 5 TCM Operational Noise Monitoring Results – 10-11 March 2026 (Night)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:02pm	37	2.5 / 118 / E	Insects (37), TCM (<20)
Barbers Lagoon – TN3	12:28am	33	1.7 / 097 / E	Insects (33), TCM (23)
Bungalow – TN4	11:16pm	37	1.9 / 073 / E	Insects (37), frogs (26), TCM (<20)

Table 6 TCM Operational Noise Monitoring Results – 11 March 2026 (Day)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:06am	41	2.7 / 262 / B	Birds (41), TCM (20)
Barbers Lagoon – TN3	1:31pm	44	5.3 / 300 / C	Birds (43), traffic (34), wind (32), TCM (<20)
Bungalow – TN4	11:50am	34	4.3 / 295 / C	Birds (32), wind (30), TCM (<20)

Table 7 TCM Operational Noise Monitoring Results – 11 March 2026 (Evening)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	9:07pm	33	1.7 / 019 / E	Insects (30), TCM (30)
Barbers Lagoon – TN3	7:40pm	37	1.5 / 110 / E	Traffic (36), birds (30), insects (26), TCM (<20)
Bungalow – TN4	8:20pm	33	1.7 / 031 / D	Insects (33), TCM (<20)

Table 8 TCM Operational Noise Monitoring Results – 11-12 March 2026 (Night)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:02pm	34	1.6 / 023 / E	TCM (31) , insects (30)
Barbers Lagoon – TN3	12:35am	28	1.0 / 080 / F	Insects (27), TCM (20)
Bungalow – TN4	11:22pm	31	0.8 / 033 / F	Insects (31), TCM (<20)

Table 9 TCM Operational Noise Monitoring Results – 12 March 2026 (Day)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	3:35pm	44	4.2 / 268 / C	Birds (41), traffic (40), wind (33), TCM (<20)
Barbers Lagoon – TN3	12:05pm	45	5.3 / 305 / C	Traffic (45), birds (34), TCM (<20)
Bungalow – TN4	1:49pm	36	4.5 / 298 / C	Birds (34), wind (31), traffic (23), TCM (<20)

Table 10 TCM Operational Noise Monitoring Results – 12 March 2026 (Evening)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	9:09pm	30	1.9 / 268 / E	Insects (28), TCM (24) , aeroplane (21)
Barbers Lagoon – TN3	7:36pm	32	3.4 / 284 / E	Birds (29), insects (29), TCM (<20)
Bungalow – TN4	8:15pm	35	2.9 / 265 / E	Insects (34), birds (28), TCM (<20)

Table 11 TCM Operational Noise Monitoring Results – 12-13 March 2026 (Night)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:05pm	27	2.0 / 225 / E	Birds (23), insects (22), TCM (21)
Barbers Lagoon – TN3	12:37am	24	1.3 / 186 / E	Insects (24), TCM (<20)
Bungalow – TN4	11:25pm	29	1.4 / 156 / E	Insects (28), TCM (23)

Table 12 TCM Operational Noise Monitoring Results – 13 March 2026 (Day)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	3:36pm	40	5.6 / 181 / C	Birds (37), wind (36), aeroplane (32), TCM (<20)
Barbers Lagoon – TN3	12:10pm	47	2.3 / 271 / B	Traffic (47), birds (31), TCM (<20)
Bungalow – TN4	1:51pm	31	2.7 / 215 / B	Birds (30), wind (25), TCM (<20)

The results in Tables 1 to 12 indicate that, under the operational and atmospheric conditions at the time, the measured noise levels from TCM did not exceed the applicable noise criterion at any monitoring location.

Table 5 – Monthly Monitoring (Blasts – Limits Apply)


Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach	Date of Max. Value Obtained
Coomalgah (TB2)	Blast Noise	dB (Lin Peak)	Every Blast	3	92.50	98.00	120	Nil	21/03/2026
	Blast Vibration	mm/s	Every Blast	3	0.35	0.67	10	Nil	21/03/2026

Table 6- Monthly Monitoring (Dust PM10 – No Limits apply)

Location	No. of samples required by license	Lowest sample value	Mean of sample	Highest sample value
“Flixton” property* TEOM (µg/m ³)	Continuous	3.18	19.2	38.1

**Mine owned property – no limits apply*

Figure 1 – EPL 12365 Monitoring Locations



TARRAWONGA COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12365

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55113&SYSUID=1&LICID=12365>

Licensee: Tarrawonga Coal Pty Ltd

Licensee Address: Tarrawonga Coal Mine, 469 Goonbri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: April 2026

Obtained Date: 11/05/2026

Publication Date: 13/05/2026

Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value	Comments
5	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
6	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	

Table 2 – Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed -ance (Yes/ No)	Comment/s
1	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
2	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
3	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
24	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed-ance (Yes/No)	Comment/s
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
26	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
27	TSS	mg/L	Upon discharge	-	-	-	-	-	-		
	Conductivity	µS/cm		-	-	-	-	-	-		
	Oil & Grease	mg/L		-	-	-	-	-	-		
	pH	pH		-	-	-	-	-	-		

Table 3 – Monitoring (Quarterly & 6 Monthly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
10	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
12	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
13	Conductivity	µS/cm	Quarterly – (Feb, May, Aug, Nov)	-	-	-	-	-	-	-
	Oil & Grease	mg/L					-	-	-	-
	pH	pH					-	-	-	-
	TSS	mg/L					-	-	-	-

Table 4 – Quarterly Attended Noise Monitoring

(Noise Limits Apply -35dB Laeq(15min) -Day, Evening and Night;45dB LA1(1min) -Night)

No attended noise monitoring conducted in April

Table 5 – Monthly Monitoring (Blasts – Limits Apply)


Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach	Date of Max. Value Obtained
Coomalgah (TB2)	Blast Noise	dB (Lin Peak)	Every Blast	3	98.6	101.7	120	Nil	7/04/2026
	Blast Vibration	mm/s	Every Blast	3	0.4	0.59	10	Nil	20/04/2026

Table 6- Monthly Monitoring (Dust PM10 – No Limits apply)

Location	No. of samples required by license	Lowest sample value	Mean of sample	Highest sample value
“Flixton” property* TEOM (µg/m ³)	Continuous	7.25	27.5	45.1

**Mine owned property – no limits apply*

Figure 1 – EPL 12365 Monitoring Locations



TARRAWONGA COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12365

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55113&SYSUID=1&LICID=12365>

Licensee: Tarrawonga Coal Pty Ltd

Licensee Address: Tarrawonga Coal Mine, 469 Goonbri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: May 2026

Obtained Date: 12/06/2026

Publication Date: 13/06/2026

Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value	Comments
5	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
6	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	

Table 2 – Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed -ance (Yes/ No)	Comment/s
1	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
2	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
3	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
24	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed-ance (Yes/No)	Comment/s
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
26	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
27	TSS	mg/L	Upon discharge	-	-	-	-	-	-		
	Conductivity	µS/cm		-	-	-	-	-	-		
	Oil & Grease	mg/L		-	-	-	-	-	-		
	pH	pH		-	-	-	-	-	-		

Table 3 – Monitoring (Quarterly & 6 Monthly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
10	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
12	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
13	Conductivity	µS/cm	Quarterly – (Feb, May, Aug, Nov)	1	08/05/2026	08/05/2026	-	-	-	3190
	Oil & Grease	mg/L					-	-	-	<5
	pH	pH					-	-	-	8.41
	TSS	mg/L					-	-	-	6

Table 4 – Quarterly Attended Noise Monitoring

(Noise Limits Apply -35dB Laeq(15min) -Day, Evening and Night;45dB LA1(1min) -Night)

No attended noise monitoring conducted in May

Table 5 – Monthly Monitoring (Blasts – Limits Apply)


Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach	Date of Max. Value Obtained
Coomalgah (TB2)	Blast Noise	dB (Lin Peak)	Every Blast	3	101.47	107.0	120	Nil	12/05/2026
	Blast Vibration	mm/s	Every Blast	3	0.21	0.36	10	Nil	12/05/2026

Table 6- Monthly Monitoring (Dust PM10 – No Limits apply)

Location	No. of samples required by license	Lowest sample value	Mean of sample	Highest sample value
“Flixton” property* TEOM (µg/m ³)	Continuous	5.23	12.49	24.3

**Mine owned property – no limits apply*

Figure 1 – EPL 12365 Monitoring Locations



TARRAWONGA COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12365

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55113&SYSUID=1&LICID=12365>

Licensee: Tarrawonga Coal Pty Ltd

Licensee Address: Tarrawonga Coal Mine, 469 Goonbri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: June 2026

Obtained Date: 10/07/2026

Publication Date: 10/07/2026

Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value	Comments
5	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
6	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	

Table 2 – Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed -ance (Yes/ No)	Comment/s
1	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
2	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
3	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
24	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed-ance (Yes/No)	Comment/s
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
26	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
27	TSS	mg/L	Upon discharge	-	-	-	-	-	-		
	Conductivity	µS/cm		-	-	-	-	-	-		
	Oil & Grease	mg/L		-	-	-	-	-	-		
	pH	pH		-	-	-	-	-	-		

Table 3 – Monitoring (Quarterly & 6 Monthly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
10	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
12	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
13	Conductivity	µS/cm	Quarterly – (Feb, May, Aug, Nov)	-	-	-	-	-	-	-
	Oil & Grease	mg/L					-	-	-	-
	pH	pH					-	-	-	-
	TSS	mg/L					-	-	-	-

Table 4 – Quarterly Attended Noise Monitoring

(Noise Limits Apply -35dB Laeq(15min) -Day, Evening and Night;45dB LA1(1min) -Night)

Attended noise monitoring has been postponed to July due to mine shutdown

Table 5 – Monthly Monitoring (Blasts – Limits Apply)

Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach	Date of Max. Value Obtained
Coomalgah (TB2)	Blast Noise	dB (Lin Peak)	Every Blast	0	-	-	120	Nil	-
	Blast Vibration	mm/s	Every Blast	0	-	-	10	Nil	-


**No Blasting in month of June due to mine shutdown*

Table 6- Monthly Monitoring (Dust PM10 – No Limits apply)

Location	No. of samples required by license	Lowest sample value	Mean of sample	Highest sample value
“Flixton” property* TEOM (µg/m ³)	Continuous	2.8	8.32	16.3

**Mine owned property – no limits apply*

Figure 1 – EPL 12365 Monitoring Locations



TARRAWONGA COAL MINE – MONTHLY MONITORING SUMMARY

Site Information

EPL No: 12365

EPA Website Link: <http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=55113&SYSUID=1&LICID=12365>

Licensee: Tarrawonga Coal Pty Ltd

Licensee Address: Tarrawonga Coal Mine, 469 Goonbri Road, BOGGABRI NSW 2382

EPL Monitoring Points: See Figure 1 below

Sampling Period: July 2026

Obtained Date: 3/08/2026

Publication Date: 5/08/2026

Table 1 – No Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value	Comments
5	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
6	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	

Table 2 – Pollutant Limits Apply

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed -ance (Yes/ No)	Comment/s
1	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
2	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
3	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
24	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Month	Date Sampled	Date of Max. Value Obtained	Min Value	Max or Only Value	100%ile Limit	Exceed-ance (Yes/No)	Comment/s
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
26	TSS	mg/L	Upon discharge	-	-	-	-	-	-	-	-
	Conductivity	µS/cm		-	-	-	-	-	-	-	
	Oil & Grease	mg/L		-	-	-	-	-	-	-	
	pH	pH		-	-	-	-	-	-	-	
27	TSS	mg/L	Upon discharge	-	-	-	-	-	-		
	Conductivity	µS/cm		-	-	-	-	-	-		
	Oil & Grease	mg/L		-	-	-	-	-	-		
	pH	pH		-	-	-	-	-	-		

Table 3 – Monitoring (Quarterly & 6 Monthly – No Limits apply)

EPL ID	Pollutant	Units of Measure	Monitoring Frequency	No. of Samples for the Period	Date Sampled	Date of Max. Value Obtained	Min Value	Mean Value	Median Value	Max or Only Value
9	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
10	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
12	Conductivity	µS/cm	6 monthly – (Mar, Sep)	-	-	-	-	-	-	-
	Lead	mg/L		-	-	-	-	-	-	-
	pH	pH		-	-	-	-	-	-	-
	Standing Water Level	metres		-	-	-	-	-	-	-
13	Conductivity	µS/cm	Quarterly – (Feb, May, Aug, Nov)	-	-	-	-	-	-	-
	Oil & Grease	mg/L					-	-	-	-
	pH	pH					-	-	-	-
	TSS	mg/L					-	-	-	-

Table 4 – Quarterly Attended Noise Monitoring

(Noise Limits Apply -35dB Laeq(15min) -Day, Evening and Night;45dB LA1(1min) -Night)

Table 1 TCM Operational Noise Monitoring Results – 13 July 2026 (Evening)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	9:24pm	46	1.4 / 029 / E	Aeroplanes (46), TCM (28) , cows (20)
Barbers Lagoon – TN3	7:45pm	43	2.4 / 032 / D	Traffic (43), aeroplanes (27), birds (21), TCM (<20)
Bungalow – TN4	8:30pm	27	0.9 / 117 / E	Aeroplanes (26), traffic (21), TCM (<20)

Table 2 TCM Operational Noise Monitoring Results – 13-14 July 2026 (Night)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:08pm	28	1.7 / 043 / E	TCM (23) , cows (20)
Barbers Lagoon – TN3	12:58am	25	1.5 / 034 / E	Sheep (22), cows (22), TCM (<20)
Bungalow – TN4	11:34pm	31	1.2 / 034 / E	Birds (31), insects (20), TCM (<20)

Table 3 TCM Operational Noise Monitoring Results – 14 July 2026 (Day)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	3:17pm	32	1.1 / 259 / C	Birds (32), TCM (<20)
Barbers Lagoon – TN3	11:33am	46	1.9 / 224 / B	Traffic (46), birds (30), residential (22), TCM (<20)
Bungalow – TN4	1:27pm	46	3.1 / 271 / C	Birds (45), traffic (35), aeroplanes (32), TCM (<20)

Table 4 TCM Operational Noise Monitoring Results – 14 July 2026 (Evening)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	9:23pm	26	1.0 / 040 / D	Cows (24), TCM (22)
Barbers Lagoon – TN3	7:51pm	22	1.1 / 268 / E	Cows (22), TCM (<20)
Bungalow – TN4	8:34pm	20	0.5 / 327 / E	Traffic (20), TCM (<20)

Table 5 TCM Operational Noise Monitoring Results – 14-15 July 2026 (Night)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:17pm	31	1.2 / 043 / E	TCM (31) , insects (20)
Barbers Lagoon – TN3	12:57am	28	0.6 / 218 / E	Sheep (28), TCM (<20)
Bungalow – TN4	11:41pm	39	0.5 / 106 / E	Traffic (39), birds (21), TCM (<20)

Table 6 TCM Operational Noise Monitoring Results – 15 July 2026 (Day)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	3:47pm	44	3.2 / 184 / D	Birds (44), TCM (<20)
Barbers Lagoon – TN3	12:06pm	51	3.9 / 158 / C	Traffic (51), wind (40), birds (31), TCM (<20)
Bungalow – TN4	1:55pm	46	3.5 / 167 / D	Traffic (44), birds (40), wind (33), TCM (<20)

Table 7 TCM Operational Noise Monitoring Results – 15 July 2026 (Evening)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	9:21pm	49	0.8 / 095 / E	Traffic (49), insects (25), TCM (<20)
Barbers Lagoon – TN3	7:40pm	47	1.3 / 071 / E	Traffic (47), birds (25), TCM (<20)
Bungalow – TN4	8:30pm	26	1.2 / 090 / E	Traffic (26), TCM (<20)

Table 8 TCM Operational Noise Monitoring Results – 15-16 July 2026 (Night)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:06pm	26	0.9 / 096 / E	Cows (26), TCM (<20)
Barbers Lagoon – TN3	12:46am	28	0.6 / 129 / E	TCM (27) , sheep (21)
Bungalow – TN4	11:27pm	23	1.0 / 205 / E	Insects (23), TCM (<20)

Table 9 TCM Operational Noise Monitoring Results – 16 July 2026 (Day)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	3:44pm	48	4.0 / 183 / D	Traffic (47), birds (37), wind (37), TCM (<20)
Barbers Lagoon – TN3	11:55am	55	4.0 / 184 / C	Traffic (54), birds (45), wind (38), TCM (<20)
Bungalow – TN4	1:44pm	48	5.8 / 177 / D	Wind (46), birds (44), TCM (<20)

Table 10 TCM Operational Noise Monitoring Results – 16 July 2026 (Evening)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	9:14pm	25	2.1 / 126 / E	Birds (25), TCM (<20)
Barbers Lagoon – TN3	7:41pm	57	1.1 / 052 / E	Traffic (57), agricultural (33), birds (29), TCM (<20)
Bungalow – TN4	8:25pm	27	2.0 / 100 / E	Traffic (26), insects (21), TCM (<20)

Table 11 TCM Operational Noise Monitoring Results – 16-17 July 2026 (Night)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	10:04pm	23	1.7 / 107 / E	Birds (23), TCM (<20)
Barbers Lagoon – TN3	1:07am	28	2.0 / 107 / E	TCM (27) , cows (21)
Bungalow – TN4	11:41pm	34	1.5 / 080 / E	Wind (30), traffic (29), TCM (<20)

Table 12 TCM Operational Noise Monitoring Results – 17 July 2026 (Day)				
Location	Time	Total dB(A), Leq (15 min)	Wind speed / direction / PSC	Identified Noise Sources
Matong – TN2	2:10pm	37	3.8 / 142 / C	Traffic (35), birds (30), aeroplanes (28), TCM (<20)
Barbers Lagoon – TN3	10:31am	55	2.9 / 155 / C	Traffic (55), birds (41), wind (39), TCM (<20)
Bungalow – TN4	12:17pm	42	4.2 / 144 / D	Birds (40), traffic (38), TCM (<20)

The results in Tables 1 to 12 indicate that, under the operational and atmospheric conditions at the time, the measured noise levels from TCM did not exceed the applicable noise criterion at any monitoring location.

Table 5 – Monthly Monitoring (Blasts – Limits Apply)

Location	Parameter	Units of Measure	Frequency	No. of Blasts for the Month	Average Value	Max Value	100%ile Limit	(Potential) Non-compliance /breach	Date of Max. Value Obtained
Coomalgah (TB2)	Blast Noise	dB (Lin Peak)	Every Blast	3	103.47	109.7	120	Nil	31/07/2026
	Blast Vibration	mm/s	Every Blast	3	0.59	0.98	10	Nil	27/07/2026

**No Blasting in month of June due to mine shutdown*

Table 6- Monthly Monitoring (Dust PM10 – No Limits apply)

Location	No. of samples required by license	Lowest sample value	Mean of sample	Highest sample value
“Flixton” property* TEOM (µg/m ³)	Continuous	5.42	10.88	38.5

**Mine owned property – no limits apply*

Figure 1 – EPL 12365 Monitoring Locations

